


Spectrum Test Report

Sample	:		Date	:	2021-06-16 14:52:07
Specification	:	WW-FLS102T28NW120B-24(WCP)-HR-EP	Sam. Status	:	
Sample No.	:	4000K	Instrument	:	HAAS-2000(EVERFINE)
Manufacturer	:	EVERFINE	Test by	:	DAMIN
			Assessor	:	damin

Test Condition

Temperature	:	25.3Deg	RH	:	65.0%
WL Range	:	350nm-1000nm	IP	:	49875 (76%)
Test Mode	:	Fast Test	T	:	636 ms
			Sensitivity	:	High

Spectrum



Colorimetric Parameters

Chromaticity Coordinate: $x = 0.3789$ $y = 0.3746$ / $u' = 0.2250$ $v' = 0.5004$ ($duv = -5.86e-04$)

CCT= 4024K Prcp WL: $L_d = 579.3nm$ Purity=26.1%

Peak WL: $L_p = 453nm$ FWHM: $= 22.3nm$ Ratio: R=18.4% G=77.9% B=3.7%

Render Index: $R_a = 83.2$ TM30: $R_f = 84$ $R_g = 95$

R1 =82 R2 =90 R3 =95 R4 =81 R5 =81 R6 =85 R7 =86

R8 =65 R9 =11 R10=75 R11=80 R12=60 R13=84 R14=97 R15=76

Photometric & Radiometric Parameters

Flux = 728.04 lm Eff. : 115.27 lm/W $F_e = 2.0599 W$

(EQE):350.3%

Electrical parameters

V = 24.00 V I = 0.2632 A P = 6.316 W PF = 1.000

Freq=0.00 Hz

EVERFINE CORPORATION

<http://www.everfine.cn>